

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	8	439/378 and warp\$	USPAT	OR	OFF	2005/04/28 13:58
L20	8	439/378 and warp\$	USPAT	OR	OFF	2005/04/28 13:58
S1	1576	crystal with display same connector	USPAT	OR	OFF	2004/11/09 11:12
S2	8	crystal with display same connector with driving with module	USPAT	OR	OFF	2004/11/09 11:36
S4	587	439/843	USPAT	OR	OFF	2004/11/09 11:38
S5	142	439/843 and pin with socket	USPAT	OR	OFF	2004/11/09 13:34
S6	167	439/680 and plug with socket	USPAT	OR	OFF	2004/11/09 13:35
S7	11	439/680 and plug with socket and 439/678	USPAT	OR	OFF	2004/11/09 13:37
S8	71	439/680 and 439/678	USPAT	OR	OFF	2004/11/09 13:55
S9	306	439/680 and key	USPAT	OR	OFF	2004/11/09 14:04
S10	1	"4070080".PN.	USPAT	OR	OFF	2004/11/09 13:58
S11	1	"4368942".PN.	USPAT	OR	OFF	2004/11/09 13:58
S12	23	439/247 and polarizing	USPAT	OR	OFF	2004/11/09 14:04
S13	306	439/374.ccls.	USPAT	OR	OFF	2004/11/09 11:10
S14	2	439/374.ccls. and warpage	USPAT	OR	OFF	2004/11/03 19:08
S15	1	439/374.ccls. and straightener	USPAT	OR	OFF	2004/11/03 19:10
S16	27	439/374.ccls. and two with parts	USPAT	OR	OFF	2004/11/03 19:17
S17	1	"4764130".PN.	USPAT	OR	OFF	2004/11/03 19:15
S18	1	"4274700".PN.	USPAT	OR	OFF	2004/11/03 19:16
S19	5	"4898543"	USPAT	OR	OFF	2004/11/03 19:22
S20	25	"439"/\$ and warpage with preventing	USPAT	OR	OFF	2004/11/04 15:41
S21	1	"5980272".PN.	USPAT	OR	OFF	2004/11/03 19:25
S22	1	"5876222".PN.	USPAT	OR	OFF	2004/11/03 19:26
S23	1	"5658154".PN.	USPAT	OR	OFF	2004/11/03 19:27
S24	1	"5591036".PN.	USPAT	OR	OFF	2004/11/03 19:28
S25	3	"439"/\$ and distortion with preventing with projection	USPAT	OR	OFF	2004/11/04 15:43
S26	4	"439"/\$ and distortion with prevent\$ with projection	USPAT	OR	OFF	2004/11/04 15:45
S27	2	"439"/\$ and warp\$ with prevent\$ with projection	USPAT	OR	OFF	2004/11/04 15:45
S28	2	"439"/\$ and warp\$ with prevent\$ with projection	USPAT	OR	OFF	2004/11/04 15:47
S29	4	"361"/\$ and warp\$ with prevent\$ with projection	USPAT	OR	OFF	2004/11/04 15:48

S30	2	"174"/\$ and warp\$ with prevent\$ with projection	USPAT	OR	OFF	2004/11/04 15:48
S31	371	"174"/\$ and warp\$ with prevent\$	USPAT	OR	OFF	2004/11/04 15:48
S32	72	"174"/\$ and warp\$ with prevent\$ and connector	USPAT	OR	OFF	2004/11/04 15:49
S33	3	"174"/\$ and warp\$ with prevent\$ with guide and connector	USPAT	OR	OFF	2004/11/04 15:53
S34	6	"439"/\$ and warp\$ with prevent\$ with guide and connector	USPAT	OR	OFF	2004/11/04 15:55
S35	5	"361"/\$ and warp\$ with prevent\$ with guide and connector	USPAT	OR	OFF	2004/11/04 15:56
S36	3	439/79 and warp\$ with guide	USPAT	OR	OFF	2004/11/04 15:58
S37	733	439/79 and guide\$	USPAT	OR	OFF	2004/11/04 15:58
S38	5	439/79 and guide\$ same distort\$	USPAT	OR	OFF	2004/11/04 16:03
S39	8	439/79 and pins same distort\$	USPAT	OR	OFF	2004/11/04 16:04
S40	13	439/65 and pins same distort\$	USPAT	OR	OFF	2004/11/04 16:05
S41	7	"5980273"	USPAT	OR	OFF	2004/11/04 16:10
S42	5	"5980272"	USPAT	OR	OFF	2004/11/04 16:10
S43	212	439/328 and guide	USPAT	OR	OFF	2004/11/04 16:14
S44	17	439/328 and guide and (warp\$ or distort\$)	USPAT	OR	OFF	2004/11/04 16:19
S45	212	439/328 and guide	USPAT	OR	OFF	2004/11/04 16:21
S46	86	439/328 and guide and pins	USPAT	OR	OFF	2004/11/04 16:23
S47	0	439/3374 and guide and pins	USPAT	OR	OFF	2004/11/04 16:23
S48	222	439/374 and guide and pins	USPAT	OR	OFF	2004/11/04 16:52
S49	76	439/376 and guide and pins	USPAT	OR	OFF	2004/11/04 16:54
S50	147	439/378 and guide and pins	USPAT	OR	OFF	2004/11/04 16:54
S51	1	"5885088".PN.	USPAT	OR	OFF	2004/11/04 16:55
S52	1	"5466171".PN.	USPAT	OR	OFF	2004/11/04 16:56
S53	1	"6059600".PN.	USPAT	OR	OFF	2004/11/04 16:59
S54	1	"5688130".PN.	USPAT	OR	OFF	2004/11/04 17:00
S55	1	"5636999".PN.	USPAT	OR	OFF	2004/11/04 17:00
S56	1	"5055069".PN.	USPAT	OR	OFF	2004/11/04 17:00
S57	5	"6171116"	USPAT	OR	OFF	2004/11/04 17:03
S58	1	"5921789".PN.	USPAT	OR	OFF	2004/11/04 17:04
S59	183	439/378.ccls.	USPAT	OR	OFF	2004/11/04 17:32
S60	183	439/378.ccls.	USPAT	OR	OFF	2004/11/04 18:00
S61	51	439/378.ccls. and rotat\$	USPAT	OR	OFF	2004/11/04 17:56
S62	51	439/378.ccls. and rotat\$	USPAT	OR	OFF	2004/11/04 17:59
S63	0	439/378.ccls. and 439/11	USPAT	OR	OFF	2004/11/04 18:00

S64	2	439/374.ccls. and 439/11	USPAT	OR	OFF	2004/11/04 18:00
S65	0	439/376.ccls. and 439/11	USPAT	OR	OFF	2004/11/04 18:00
S66	1	439/79.ccls. and 439/11	USPAT	OR	OFF	2004/11/04 18:01
S67	9	ta.xp. and 439/11	USPAT	OR	OFF	2004/11/04 18:17
S68	1	"6045393".PN.	USPAT	OR	OFF	2004/11/04 18:17
S69	1	"6019630".PN.	USPAT	OR	OFF	2004/11/04 18:17
S70	1	"4632475".PN.	USPAT	OR	OFF	2004/11/04 18:17
S71	1	"4657320".PN.	USPAT	OR	OFF	2004/11/04 18:17
S72	1	"RE34430".PN.	USPAT	OR	OFF	2004/11/04 18:17
S73	148	439/247,248.ccls. and pins	USPAT	OR	OFF	2004/11/04 18:18
S74	7	"5980273"	USPAT	OR	OFF	2005/04/25 12:00
S75	41	connector with warp\$ with preventing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/25 13:38